

CyC



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Attention Certificate of Corrections Branch
Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited
with the United States Postal Service with sufficient postage
as first class mail in an envelope addressed to: Attention
Certificate of Corrections Branch, Commissioner for Patents,
P.O. Box 1450, Alexandria, VA 22313-1450 on September 29, 2005
(Date of Deposit)

Michael D. Beck

Name of person mailing Document or Fee

Michael D. Beck

Signature

September 29, 2005

Date of Signature

U.S. Patent No. : 6,892,751 B2
Issued : May 17, 2005
Title : System and Method for Protecting a Building
Serial No. : 10/085,339
Filed : February 28, 2002
Our File No. : 1805-0003

Certificate
OCT 07 2005
of Correction

Request for Certificate of Correction under 37 C.F.R. Section 1.322

Dear Sirs:

A Certificate of Correction under Rule 1.322 in the above-identified patent is respectfully requested. The error was not the fault of the Applicant. Attached please find PTO Form 44 with the following corrections.

Reasons to Correct: The requested corrections were correct when the specification was filed on February 28, 2002, no amendment to the specification has been made. Therefore, Applicant requests that a Certificate of Correction be issued with the following changes as also listed on accompanying USPTO form 44, to correct the detailed Description of Claims.

OCT 11 2005

Specification:

Col. 5, line 66: replace "81" with --S1--

Col. 6, line 38: replace "KS" with -K5--

Please send the Certificate to:

Name: Michael D. Beck
MAGINOT, MOORE & BECK
Bank One Center/Tower
111 Monument Circle, Suite 3000
Indianapolis, IN 46204-5115

Since the error occurred at the Patent Office; no fee is believed necessary because the error occurred at the U.S. Patent Office.

Respectfully submitted,



Michael D. Beck
Attorney for Applicants
Reg. No. 32,722

September 29, 2005

Michael D. Beck
Maginot, Moore & Beck
Bank One Center/Tower
111 Monument Circle, Suite 3000
Indianapolis, IN 46204-5115

OCT 11 2005

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6,892,751 *B2*

APPLICATION NO.: 10/085,339

ISSUE DATE : May 17, 2005

INVENTOR(S) :

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 5, line 66: replace "81" with --S1--
Col. 6, line 38: replace "KS" with --K5--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Bank One Center Tower
111 Monument Circle, Suite 3000
Indianapolis, IN 46204

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

OCT 11 2005